

System Requirements for SAS[®] 9.3 Foundation for Microsoft[®] Windows[®]



Copyright Notice

The correct bibliographic citation for this manual is as follows: SAS Institute Inc., *System Requirements for SAS 9.3 Foundation for Microsoft Windows*, Cary, NC: SAS Institute Inc., 2012.

System Requirements for SAS 9.3 Foundation for Microsoft® Windows®
Copyright © 2012, SAS Institute Inc., Cary, NC, USA.

Some software included in SAS Foundation may display a release number other than 9.3.

All rights reserved. Printed in the United States of America. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, by any form or by any means, electronic, mechanical, photocopying, or otherwise, without the prior written permission of the publisher, SAS Institute Inc. Limited permission is granted to store the copyrighted material in your system and display it on terminals, print only the number of copies required for use by those persons responsible for installing and supporting the SAS programming and licensed programs for which this material has been provided, and to modify the material to meet specific installation requirements. The SAS Institute copyright notice must appear on all printed versions of this material or extracts thereof and on the display medium when the material is displayed. Permission is not granted to reproduce or distribute the material except as stated above.

U.S. Government Restricted Rights Notice. Use, duplication, or disclosure of the software by the government is subject to restrictions as set forth in FAR 52.227-19 Commercial Computer Software-Restricted Rights (June 1987).

SAS Institute Inc., SAS Campus Drive, Cary, North Carolina 27513.

SAS and all other SAS Institute Inc. product or service names are registered trademarks or trademarks of SAS Institute Inc. in the USA and other countries.

® indicates USA registration.

Other brand and product names are trademarks of their respective companies.

Table of Contents

Using the System Requirements	iv
Resources for Other Windows Deployments	iv
SAS Technical Support.....	iv
Software Requirements	1
Preparing for Installation	1
File System Requirements	1
Administrator Privilege.....	1
Anti-virus and/or Firewall Software.....	1
Server Operating Systems	1
Microsoft Windows Server 2008 Family	1
Microsoft Windows Server 2003 32-bit Family	1
Microsoft Windows Server 2003 x64 Family	2
Client Operating Systems	2
Network Installation	2
SAS Support for Windows 7 and Windows 8.....	2
Supported Operating Environments for Windows	3
Java Requirements	3
Hardware Requirements.....	4
SAS 9.3 Foundation on Microsoft Windows.....	4
Machines Supported	4
Memory Requirements	4
Windows XP Professional.....	4
Supported Editions of Windows Server 2003, Windows Server 2008, Windows Vista, and Windows 7	4
Monitors Supported	4
Additional Features	5
The User Installation Experience in SAS 9.3	5
Internet Access.....	5
Web Browser	5
SAS Universal Viewer.....	5
Dynamic Data Exchange	6
Electronic Mail	6
Lotus Notes	6
System Requirements Wizard	6
SAS Service Configuration Utility.....	7
SAS Deployment Wizard and Subset Orders	7
Space Requirements	8
Disk Space Consumed by Installed Products	8
DBCS Support	9
Asian Language Support.....	10
Notes about the Asian Language Support Tables.....	12
Using Asian Languages in a non-Asian Language Environment	12
European Languages Support.....	12
SAS/GRAPH Map Data Sets	15

Specific Product Requirements	17
Base SAS Software	17
SAS Analytics Accelerator for Teradata Software	17
SAS High-Performance Forecasting 12.1	17
SAS Scoring Accelerator for DB2	17
SAS Scoring Accelerator for Greenplum Software.....	18
SAS Scoring Accelerator for Netezza	18
SAS Scoring Accelerator for Oracle Software.....	18
SAS Scoring Accelerator for Teradata	19
SAS/ACCESS Interface to Aster	19
SAS/ACCESS Interface to DB2.....	20
SAS/ACCESS Interface to Greenplum	20
SAS/ACCESS Interface to Hadoop	20
SAS/ACCESS Interface to HP Neoview	20
SAS/ACCESS Interface to MySQL.....	21
SAS/ACCESS Interface to Netezza.....	21
SAS/ACCESS Interface to ODBC	21
SAS/ACCESS Interface to OLE DB.....	21
SAS/ACCESS Interface to Oracle	22
SAS/ACCESS Interface to PC Files	22
SAS/ACCESS Interface to Sybase	22
SAS/ACCESS Interface to Sybase IQ	23
SAS/ACCESS Interface to Teradata	23
SAS/AF.....	23
SAS/CONNECT	24
SAS/EIS	24
SAS/Genetics 12.1	24
SAS/GIS.....	24
SAS/GRAPH.....	25
SAS/IntrNet	25
CGI Tools and Applications.....	25
Application Dispatcher	25
htmSQL.....	25
MDDB Report Viewer Application	25
Xplore Sample Web Application.....	25
Design-Time Controls	26
Java Tools and Applications.....	26
SAS/CONNECT Driver for Java.....	26
Tunnel Feature.....	26
SAS/LAB.....	26
SAS/OR 12.1	26
SAS/TOOLKIT	26
SAS/Warehouse Administrator.....	26

Graphics Hardware and Software Compatibility	28
Printers	28
Images and Interfaces to Other Software	28
Viewing HTML Pages Created with the ActiveX and Java Device Drivers	29

Using the System Requirements

This document provides requirements for installing and running 32-bit SAS 9.3 Foundation for Windows. You must update your system to meet the minimum requirements before running SAS 9.3.

These are the major requirements listed in the document:

- Software Requirements
- Hardware Requirements
- Additional Features
- Space Requirements
- Specific Product Requirements
- Graphics Hardware and Software Compatibility

For additional information and to view the latest system requirements for your system, please visit the SAS Install Center Web site, <http://support.sas.com/documentation/installcenter>.

Resources for Other Windows Deployments

For information about 64-bit SAS 9.3 Foundation for Windows, please refer to *System Requirements for SAS 9.3 Foundation for Microsoft Windows for x64*. This and other documents are available from SAS Install Center, <http://support.sas.com/documentation/installcenter>.

SAS Technical Support

For information about SAS Technical Support, please visit <http://support.sas.com/techsup/>.

Software Requirements

Preparing for Installation

File System Requirements

The 8.3 filename convention must remain enabled. The use of file systems supporting long filenames is recommended.

Administrator Privilege

An installer must have administrator privilege to install various updates. This requirement ensures that SAS 9.3 Foundation can be completely and safely installed.

Anti-virus and/or Firewall Software

Before you start the System Requirements Wizard, it is recommended that you close your anti-virus and firewall software. Some anti-virus and/or firewall configurations can prevent an application from installing successfully.

If you are unable to close the anti-virus or firewall software, make sure that your configuration allows you to install software and to update the registry. If your SAS installation fails and you have mandatory anti-virus or firewall software running, please check with your system administrator.

Server Operating Systems

Microsoft Windows Server 2008 Family

SAS 9.3 Foundation is supported on the following 32-bit and x64 editions of the Windows Server 2008 family with SAS 9.3 TS1M0 and higher:

- Microsoft® Windows® Server 2008 Standard Edition
- Microsoft® Windows® Server 2008 Enterprise Edition
- Microsoft® Windows® Server 2008 Datacenter Edition

SAS 9.3 Foundation is supported on the following x64 editions of the Windows Server 2008 R2 family with SAS 9.3 TS1M0 and higher:

- Microsoft® Windows® Server 2008 R2 Standard Edition
- Microsoft® Windows® Server 2008 R2 Enterprise Edition
- Microsoft® Windows® Server 2008 R2 Datacenter Edition

Microsoft Windows Server 2003 32-bit Family

Note: SAS recommends that users with Microsoft Windows Server 2003 install the Microsoft software update that is available at <http://www.microsoft.com/downloads/details.aspx?familyid=17c36612-632e-4c04-9382-987622ed1d64&displaylang=en>.

SAS 9.3 Foundation is supported on all 32-bit editions of the Microsoft Windows Server 2003 family:

- Microsoft® Windows® Server 2003, Standard Edition updated with Service Pack 1
- Microsoft® Windows® Server 2003, Enterprise Edition updated with Service Pack 1
- Microsoft® Windows® Server 2003, Datacenter Edition updated with Service Pack 1

Microsoft Windows Server 2003 x64 Family

SAS 9.3 Foundation is supported on the following editions the Microsoft Windows x64 family:

- Microsoft® Windows® Server 2003 for x64 systems, Standard Edition
- Microsoft® Windows® Server 2003 for x64 systems, Enterprise Edition
- Microsoft® Windows® Server 2003 for x64 systems, Datacenter Edition

Client Operating Systems

Microsoft Windows XP and Microsoft Windows Vista 32-bit products:

- Microsoft® Windows® XP Professional, updated with Service Pack 2
- Microsoft® Windows® Vista - Enterprise, Business, and Ultimate Editions

Microsoft Windows XP and Microsoft Windows Vista x64 products:

- Microsoft® Windows® XP Professional for x64 systems
- Microsoft® Windows® Vista for x64 systems - Enterprise, Business, and Ultimate Editions

Network Installation

Long filename support is required on any Novell Server where a server installation is performed.

SAS Support for Windows 7 and Windows 8

Windows 7 SP1 Professional, Ultimate, and Enterprise: Supported in SAS 9.3 Foundation products.

Windows 8 Pro and Enterprise: Supported in SAS 9.3 Foundation products.

Windows 7 Home Premium and Windows 8: Supported for the Education Analytical Suite (EAS). These are the Education Analytical Suite products that are supported on Windows 7 and Windows 8:

Note: *These products are not supported individually on Windows 7 Home Premium and Windows 8.*

- | | |
|---|--------------|
| • Base SAS | • SAS/EIS |
| • SAS/ACCESS Interface to Greenplum | • SAS/ETS |
| • SAS/ACCESS Interface to Informix | • SAS/FSP |
| • SAS/ACCESS Interface MySQL | • SAS/GRAPH |
| • SAS/ACCESS Interface to MS SQL Server | • SAS/IML |
| • SAS/ACCESS Interface to ODBC | • SAS/OR |
| • SAS/ACCESS Interface to PC Files | • SAS/QC |
| • SAS/ACCESS Interface to Sybase | • SAS/SECURE |
| • SAS/AF | • SAS/SHARE |
| • SAS/ASSIST | • SAS/STAT |
| • SAS/CONNECT | |

Supported Operating Environments for Windows

For more information about the Microsoft Windows operating systems that are supported in SAS 9.3, please refer to SAS Knowledge Base / System Requirements, <http://support.sas.com/resources/sysreq/hosts/pc/>.

Java Requirements

For information about Java Runtime Environment (JRE) requirements, please refer to the SAS 9.3 Support for Java Runtime Environments Web page, located at <http://support.sas.com/resources/thirdpartysupport/v93/jres.html>.

Hardware Requirements

SAS 9.3 Foundation on Microsoft Windows

Please note the following requirements for installation of SAS 9.3 Foundation for Windows.

Machines Supported

Intel or Intel-compatible Pentium 4 class processor with SSE2 instructions (minimum required)

Memory Requirements

Windows XP Professional

- 512 MB minimum or more for improved performance
- 512 MB minimum of swapfile space

Supported Editions of Windows Server 2003, Windows Server 2008, Windows Vista, and Windows 7

- 1 GB minimum (more memory is recommended for improved performance)
- 1 GB minimum of swapfile space

Monitors Supported

SVGA (resolution of 800x600 or higher)

Additional Features

The User Installation Experience in SAS 9.3

If you are upgrading to SAS 9.3 Foundation, please note that some of these features were not available in earlier releases of SAS software.

Internet Access

With Internet access, you can view and download documents from the SAS Install Center, and review material on the SAS Support Web site.

Web Browser

A web browser is required to use two features of SAS 9.3 Foundation. The supported web browser is Internet Explorer version 6, Service Pack 2 or higher.

1. Output is rendered as HTML pages using the SAS 9.3 Output Delivery System (ODS). Any Web browser can be used for basic viewing, but if Internet Explorer version 6, SP 2 (or higher) is used, ODS output can be viewed in an integrated browser window that functions as part of SAS 9.3 Foundation. Other browsers can be used to view ODS output in a separate application window.
2. To conform to the native Windows environment, SAS Help and Documentation is provided in the compiled HTML format supported by the Microsoft HTML Help Viewer, which presents help information in the same layout used in newer Windows applications. This format is very compact and provides extensive searching capabilities. The highest level of functionality is available when Internet Explorer version 6, SP 2 (or higher) is installed.

Note: These two features of SAS 9.3 Foundation require Internet Explorer version 6, SP 2 (or higher) because that browser enables the most completely functional user interface.

SAS Universal Viewer

SAS Universal Viewer is an application for the Windows operating environment that enables you to view SAS data sets and other types of files without invoking SAS and without installing SAS on your computer. SAS Universal Viewer is a replacement for the SAS System Viewer, and it is available with Base SAS and as a free download from SAS. You can view, sort, and filter data sets, but you are not able to edit them.

With SAS Universal Viewer, you can view the following types of files:

- SAS data sets, including those that were created on platforms other than Windows
- SAS v5 transport files
- SAS programs, logs, and listings
- General text files
- HTML and other file types that open in Internet Explorer

Dynamic Data Exchange

Dynamic Data Exchange (DDE) allows for the exchange of data between SAS 9.3 Foundation and any other application supporting DDE. SAS 9.3 Foundation will act as a client only.

Electronic Mail

Send Mail... is provided as a menu item in the File menu. Send Mail... allows electronic mail messages to be initiated from SAS 9.3 Foundation. It is also possible to send mail using a data step file access method or SCL via SAS/AF software.

The following mail APIs are supported - MAPI and VIM. This requires installation of third party products such as Microsoft Outlook, Microsoft Outlook Express, or Lotus Notes 4.0 (32-bit version only) and above. SMTP email server access via MAPI requires an Internet connection.

Lotus Notes

The Lotus Notes access method, NOTESDB, allows populating new documents directly to Lotus Notes from SAS 9.3 Foundation. The NotesSQL ODBC driver allows Lotus Notes documents to be accessed from within SAS 9.3. An installed license of Lotus Notes Desktop is required. SAS 9.3 Foundation supports the 32-bit version of Lotus Notes 4.0 or later.

System Requirements Wizard

The System Requirements Wizard ensures that your computer meets the minimum system requirements before you install SAS 9.3 Foundation. Space requirements will vary depending upon the third-party components and the individual files on your computer that need to be updated. The System Requirements Wizard will inform you of the components that do not meet the minimum system requirements before updating them.

The following table shows which updates the System Requirements Wizard performs on the supported versions of Windows.

- Use of the term Family here implies workstation, professional and server editions of these operating systems.
- If a cell is labeled No, the required version of the update is already included in the operating system(s) identified by the column. The update item listed to the left will not be installed by the System Requirements Wizard.

Update	Windows XP Professional*	Windows Server 2003*	Windows Vista and Server 2008	Windows 7 and Server 2008 R2
Microsoft Custom Controls Library 5.80.2614.3600	No	No	No	No
Microsoft Data Access Components (MDAC) 2.7	No	No	No	No
Microsoft HTML Help Control 4.74.8875	No	No	No	No
Microsoft Jet 4.0 Components (Service Pack 6)	Yes**	No	Yes***	Yes***
SAS JRE 1.5.0_12 ****	Yes	Yes	Yes	*****

Update	Windows XP Professional*	Windows Server 2003*	Windows Vista and Server 2008	Windows 7 and Server 2008 R2
Microsoft Shell Folder Service 5.50.4027.300	No	No	No	No
Visual C++ 6.0 Redistributables Bundle	No	No	No	No
Visual C++ 7.0 Redistributables Bundle	Yes	Yes	Yes	Yes
Visual C++ 2005 Redistributable Package (x86)	Yes	Yes	Yes	Yes

* This column also refers to the x64 Edition(s).

** The x64 operating system already includes a newer version of this component.

*** The Vista and Windows 7 operating systems already include a newer version of this component.

**** All SAS Foundation products are required to use the same Java Runtime Environment if it is available on a particular machine. For SAS 9.3 Foundation, the System Requirements Wizard will install the Java 5 Update 12.

***** JRE 1.5.0_12 is not supported on Windows 7 and Server 2008 R2. Please refer to the SAS Note "Java 6 Update 14 or later is required when you install SAS 9.3 in the Microsoft Windows 7 or Microsoft Windows Server 2008 R2 operating environments" at <http://support.sas.com/kb/40/501.html>.

SAS Service Configuration Utility

The SAS Service Configuration Utility allows administrators to customize the operation of SAS 9.3 Foundation running as a service on a particular computer. It requires only 0.5 MB of space on the computer using the SAS Service Configuration Utility. The SAS Service Configuration Utility is available from the SAS 9.3 Utilities folder on the SAS Start Menu.

SAS Deployment Wizard and Subset Orders

The SAS Deployment Wizard allows users to subset orders within a depot when it is being moved or copied. The previous process of creating a Client Software Depot or a Personal Software Depot that was available in the SAS Administrator Wizard in earlier releases of SAS has been replaced. If you are used to employing either of these functionalities, please refer to the *SAS Deployment Wizard User Guide* for information about how to select the specific products you want to copy into a separate depot. Such a newly created depot can serve the same function as those depots did in previous releases.

Space Requirements

The media you received contains all SAS software products. This media is customized by the SAS Installation Data for easy identification of the products for which you are licensed.

The following list contains space requirements in MB for all of the products available with this release of SAS 9.3 Foundation for Windows. Products requiring less than 1 MB of disk space are represented by an asterisk (*). Use this information to help you determine how much free disk space you must have available before you can install SAS 9.3 software. Disk space requirements will vary depending upon the blocking factor and compression algorithms that are in use on the installation disk drive. Product disk space values were determined with the HTMLHelp System in use.

Disk Space Consumed by Installed Products

Software Product	Disk Space (in MB)
Base SAS	601
SAS High-Performance Forecasting 12.1	6
SAS/ACCESS Interface to Aster	1
SAS/ACCESS Interface to DB2	*
SAS/ACCESS Interface to Greenplum	7
SAS/ACCESS Interface to HP Neoview	1
SAS/ACCESS Interface to MySQL	*
SAS/ACCESS Interface to Netezza	*
SAS/ACCESS Interface to ODBC	1
SAS/ACCESS Interface to OLE DB	*
SAS/ACCESS Interface to Oracle	1
SAS/ACCESS Interface to PC Files	8
SAS/ACCESS Interface to Sybase	1
SAS/ACCESS Interface to Sybase IQ	*
SAS/ACCESS Interface to Teradata	1
SAS/AF	6
SAS/CONNECT	3
SAS/EIS	50
SAS/ETS 12.1	30
SAS/FSP	2
SAS/Genetics 12.1	3
SAS/GIS	49
SAS/GRAPH	390**
SAS/IML 12.1	6
SAS/IntrNet	4
SAS/LAB	8
SAS/OR 12.1	13

Software Product	Disk Space (in MB)
SAS/QC 12.1	21
SAS/STAT 12.1	70
SAS/TOOLKIT	9
SAS/Warehouse Administrator	33

- * Actual disk space sizes have been rounded to the nearest tenth, so the values will differ slightly from the ones shown by the installer.
- ** Beginning with the first maintenance release of SAS 9.3 in December 2011, SAS/GRAPH also includes new map data sets from GfKGeoMarketing. SAS/GRAPH now requires 1.3 GB of disk space in addition to the total listed above.

Base SAS Shared Components and SAS/GRAPH Shared Components are specific components shipped with SAS 9.3 Foundation for Windows. These components are intended to be shared with an installation of SAS Enterprise Guide software on the same machine. During the initial installation of share components, you can select the installation location, which remains the same for all subsequent installations of shared components. It is typically under C:\Program Files\SAS\Shared Files.

Installation Resource	Disk Space (in MB)
Installation Documentation	13.0
SAS Setup Files	4.5
SAS Deployment Manager	160.0
System Requirements Wizard	340.0

DBCS Support

The following list contains space requirements in MB for SAS System components that offer DBCS support.

Software Product - DBCS Support	Disk Space (in MB)*
Core of the SAS 9.3 DBCS Support Files	13.3
SAS/ACCESS Interface to DB2 DBCS Support Files	0.4
SAS/ACCESS Interface to ODBC DBCS Support Files	0.4
SAS/ACCESS Interface to Oracle DBCS Support Files	0.2
SAS/ACCESS Interface to PC Files DBCS Support Files	0.8
SAS/ACCESS Interface to Sybase DBCS Support Files	0.3
SAS/AF DBCS Support Files	0.2
SAS/CONNECT DBCS Support Files	0.6
SAS/EIS DBCS Support Files	0.2
SAS/FSP DBCS Support Files	0.3
SAS/GRAPH DBCS Support Files	2.3
SAS/INSIGHT DBCS Support Files	2.5
SAS/LAB	0.8
SAS/QC DBCS Support Files	0.4
SAS/SHARE DBCS Support Files	0.1
SAS/STAT DBCS Support Files	0.7
Total	23.5

Asian Language Support

The following lists contain space requirements in MB for SAS 9.3 components that support Asian languages.

Languages Supported	Disk Space (in MB)*	See Table
Chinese – traditional	54.0	page 10
Chinese – simplified	186.0	page 10
Japanese	274.0	page 11
Korean	186.0	page 11

Traditional Chinese Support	Disk Space (in MB)*
Base SAS Traditional Chinese Support Files	3.1
SAS/GRAPH Traditional Chinese Support Files	72.6
Total	75.7

Simplified Chinese Support	Disk Space (in MB)*
Base SAS Simplified Chinese Support Files	49.6
SAS Data Quality Server Simplified Chinese Support Files	0.3
SAS Integration Technologies Simplified Chinese Support Files	0.2
SAS/ACCESS Interface to DB2 Simplified Chinese Support Files	0.1
SAS/ACCESS Interface to ODBC Server Simplified Chinese Support Files	0.1
SAS/ACCESS Interface to OLE DB Simplified Chinese Support Files	0.1
SAS/ACCESS Interface to Oracle Simplified Chinese Support Files	0.1
SAS/ACCESS Interface to PC Files Simplified Chinese Support Files	0.8
SAS/ACCESS Interface to Sybase Simplified Chinese Support Files	0.1
SAS/AF Simplified Chinese Support Files	2.0
SAS/CONNECT Simplified Chinese Support Files	0.9
SAS/EIS Simplified Chinese Support Files	1.9
SAS/ETS Simplified Chinese Support Files	20.9
SAS/GIS Simplified Chinese Support Files	1.8
SAS/GRAPH Simplified Chinese Support Files	8.2
SAS/IML Simplified Chinese Support Files	2.8
SAS/INSIGHT Simplified Chinese Support Files	14.7
SAS/IntrNet Simplified Chinese Support Files	2.1
SAS/LAB Simplified Chinese Support Files	0.6
SAS/OR Simplified Chinese Support Files	8.0
SAS/QC Simplified Chinese Support Files	10.1
SAS/SHARE Simplified Chinese Support Files	0.8
SAS/STAT Simplified Chinese Support Files	20.0
SAS/TOOLKIT Simplified Chinese Support Files	0.1
Total	146.3

Japanese Support	Disk Space (in MB)*
Base SAS Japanese Support Files	79.9
SAS Data Quality Server Japanese Support Files	0.3
SAS Integration Technologies Japanese Support Files	0.2
SAS/AF Japanese Support Files	2.0
SAS/ACCESS Interface to DB2 Japanese Support Files	0.1
SAS/ACCESS Interface to ODBC Server Japanese Support Files	0.1
SAS/ACCESS Interface to OLE DB Japanese Support Files	1.0
SAS/ACCESS Interface to Oracle Japanese Support Files	0.1
SAS/ACCESS Interface to PC Files Japanese Support Files	0.8
SAS/ACCESS Interface to Sybase Japanese Support Files	0.1
SAS/CONNECT Japanese Support Files	0.9
SAS/EIS Japanese Support Files	10.1
SAS/ETS Japanese Support Files	20.6
SAS/GIS Japanese Support Files	1.8
SAS/GRAPH Japanese Support Files	11.0
SAS/GRAPH Map Data Sets Japanese Support Files	2.1
SAS/IML Japanese Support Files	2.8
SAS/INSIGHT Japanese Support Files	14.7
SAS/IntrNet Japanese Support Files	2.1
SAS/LAB Japanese Support Files	0.4
SAS/OR Japanese Support Files	7.9
SAS/QC Japanese Support Files	9.0
SAS/SHARE Japanese Support Files	0.8
SAS/STAT Japanese Support Files	19.9
SAS/TOOLKIT Japanese Support Files	0.1
Total	188.8

Korean Support	Disk Space (in MB)*
Base SAS Korean Support Files	49.6
SAS Data Quality Server Korean Support Files	0.3
SAS Integration Technologies Korean Support Files	0.2
SAS/ACCESS Interface to DB2 Korean Support Files	0.1
SAS/ACCESS Interface to ODBC Server Korean Support Files	0.1
SAS/ACCESS Interface to OLE DB Korean Support Files	0.1
SAS/ACCESS Interface to Oracle Korean Support Files	0.1
SAS/ACCESS Interface to PC Files Korean Support Files	0.8
SAS/ACCESS Interface to Sybase Korean Support Files	0.1
SAS/AF Korean Support Files	2.0
SAS/CONNECT Korean Support Files	0.9
SAS/EIS Korean Support Files	1.9
SAS/ETS Korean Support Files	20.9
SAS/GIS Korean Support Files	1.8
SAS/GRAPH Korean Support Files	8.3

Korean Support	Disk Space (in MB)*
SAS/IML Korean Support Files	2.8
SAS/INSIGHT Korean Support Files	14.7
SAS/IntrNet Korean Support Files	1.9
SAS/LAB Korean Support Files	0.6
SAS/OR Korean Support Files	8.0
SAS/QC Korean Support Files	10.3
SAS/SHARE Korean Support Files	0.8
SAS/STAT Korean Support Files	20.0
SAS/TOOLKIT Korean Support Files	0.1
Total	146.4

Notes about the Asian Language Support Tables

- * Actual disk space sizes have been rounded to the nearest tenth, so the values will differ slightly from the ones shown by the installer.
- ** Under Korean and Simplified Chinese Support, the installer incorrectly displays SAS OLAP Server as sample. Even though the sub-component is incorrectly identified, if selected, the SAS OLAP Server Korean and Simplified Chinese Support Files install correctly.

Using Asian Languages in a non-Asian Language Environment

Depending on the version of Microsoft Windows you are using, you may experience problems displaying Asian languages on an English operating system.

European Languages Support

The following list contains space requirements in MB for SAS System components that support various European Languages.

European Languages Support	Disk Space (in MB)*	See Table
Czech	6.8	below
French	35.2	below
German	196.4	13
Hungarian	6.8	14
Italian	203.9	14
Polish	27.4	14
Russian	15.1	15
Spanish	21.4	15
Swedish	6.9	15

- * Actual disk space sizes have been rounded to the nearest tenth, so the values will differ slightly from the ones shown by the installer.

Czech Support	Disk Space (in MB)
Base SAS Czech Support Files	4.5

Czech Support	Disk Space (in MB)
SAS/ETS Czech Support Files	0.7
SAS/GRAPH Czech Support Files	0.2
SAS/OR Czech Support Files	0.5
SAS/QC Czech Support Files	0.2
SAS/STAT Czech Support Files	0.8
Total	6.9

French Support	Disk Space (in MB)
Base SAS French Support Files	24.1
SAS Data Quality Server	0.1
SAS/EIS French Support Files	8.6
SAS/ETS French Support Files	0.7
SAS/GRAPH French Support Files	0.3
SAS/OR French Support Files	0.5
SAS/QC French Support Files	0.2
SAS/STAT French Support Files	0.8
Total	35.3

German Support	Disk Space (in MB)*
Base SAS German Support Files	53.7
SAS Data Quality Server German Support Files	0.3
SAS/ACCESS Interface to DB2 German Support Files	0.1
SAS/ACCESS Interface to ODBC Server German Support Files	0.1
SAS/ACCESS Interface to OLE DB German Support Files	0.1
SAS/ACCESS Interface to Oracle German Support Files	0.1
SAS/ACCESS Interface to PC Files German Support Files	0.8
SAS/ACCESS Interface to Sybase German Support Files	0.1
SAS/AF German Support Files	1.9
SAS/CONNECT German Support Files	0.9
SAS/EIS German Support Files	1.7
SAS/ETS German Support Files	21.3
SAS/GIS German Support Files	1.8
SAS/GRAPH German Support Files	8.3
SAS/IML German Support Files	2.8
SAS/INSIGHT German Support Files	14.5
SAS/IntrNet German Support Files	1.9
SAS/LAB German Support Files	0.4
SAS/OR German Support Files	8.4
SAS/QC German Support Files	10.1
SAS/SHARE German Support Files	0.8
SAS/STAT German Support Files	20.7
SAS/TOOLKIT German Support Files	0.1
Total	150.9

Hungarian Support	Disk Space (in MB)
Base SAS Hungarian Support Files	4.5
SAS/ETS Hungarian Support Files	0.7
SAS/GRAPH Hungarian Support Files	0.2
SAS/OR Hungarian Support Files	0.5
SAS/QC Hungarian Support Files	0.2
SAS/STAT Hungarian Support Files	0.8
Total	6.9

Italian Support	Disk Space (in MB)*
Base SAS Italian Support Files	61.5
SAS Data Quality Server Italian Support Files	0.3
SAS Integration Technologies Italian Support Files	0.2
SAS/ACCESS Interface to DB2 Italian Support Files	0.1
SAS/ACCESS Interface to ODBC Server Italian Support Files	0.1
SAS/ACCESS Interface to OLE DB Italian Support Files	0.1
SAS/ACCESS Interface to Oracle Italian Support Files	0.1
SAS/ACCESS Interface to PC Files Italian Support Files	0.8
SAS/ACCESS Interface to Sybase Italian Support Files	0.1
SAS/AF Italian Support Files	1.9
SAS/CONNECT Italian Support Files	0.9
SAS/EIS Italian Support Files	1.7
SAS/ETS Italian Support Files	21.3
SAS/GIS Italian Support Files	1.8
SAS/GRAPH Italian Support Files	8.2
SAS/IML Italian Support Files	2.8
SAS/INSIGHT Italian Support Files	14.5
SAS/IntrNet Italian Support Files	1.9
SAS/LAB Italian Support Files	0.4
SAS/OR Italian Support Files	8.4
SAS/QC Italian Support Files	10.1
SAS/SHARE Italian Support Files	0.8
SAS/STAT Italian Support Files	20.7
SAS/TOOLKIT Italian Support Files	0.1
Total	158.8

Polish Support	Disk Space (in MB)
Base SAS Polish Support Files	24.7
SAS Data Quality Server	0.1
SAS/ETS Polish Support Files	0.7
SAS/GRAPH Polish Support Files	0.5
SAS/OR Polish Support Files	0.5
SAS/QC Polish Support Files	0.2

Polish Support	Disk Space (in MB)
SAS/STAT Polish Support Files	0.8
Total	27.5

Russian Support	Disk Space (in MB)
Base SAS Russian Support Files	6.2
SAS/EIS Russian Support Files	6.4
SAS/ETS Russian Support Files	0.7
SAS/GRAPH Russian Support Files	0.4
SAS/OR Russian Support Files	0.5
SAS/QC Russian Support Files	0.2
SAS/STAT Russian Support Files	0.8
Total	15.2

Spanish Support	Disk Space (in MB)
Base SAS Spanish Support Files	18.9
SAS Data Quality Server	0.1
SAS/ETS Spanish Support Files	0.7
SAS/GRAPH Spanish Support Files	0.4
SAS/OR Spanish Support Files	0.5
SAS/QC Spanish Support Files	0.2
SAS/STAT Spanish Support Files	0.8
Total	21.6

Swedish Support	Disk Space (in MB)
Base SAS Swedish Support Files	4.5
SAS/ETS Swedish Support Files	0.7
SAS/GRAPH Swedish Support Files	0.2
SAS/OR Swedish Support Files	0.5
SAS/QC Swedish Support Files	0.2
SAS/STAT Swedish Support Files	0.8
Total	6.9

SAS/GRAPH Map Data Sets

Data Set	Required Disk Space
Countries in Africa and Middle East Maps	7.2
Countries in Asia and Pacific Maps	22.0
Countries in Europe Maps	16.2
North America Maps	5.5

Data Set	Required Disk Space
Countries in Latin America and Caribbean Maps	7.0
Canada Maps	1.9
Continents Maps	25.7
World Map	25.7
Very Large US County Map, Unprojected	12.5
Large US County Map, Unprojected and Reduced	1.5
Large US Mainland County Map, Projected and Reduced	1.5
Large US State Outline Map, Unprojected	1.5
Total for all entries	128.2

Specific Product Requirements

Base SAS Software

Requirements for SPD Engine on Microsoft Windows:

SPDE will run with the minimum system specified in the Hardware Requirements section on page 4, but these are the minimum recommended system guidelines to make use of SPDE function:

- An SMP (symmetric multiprocessing) computer with at least two CPUs; four are preferred
- At least one I/O channel per two CPUs
- Enough disk drives to have at least one mount point per CPU isolated on its own disk; two mount points per CPU are better

SAS Analytics Accelerator for Teradata Software

The SAS Analytics Accelerator for Teradata requires Base SAS, SAS/ACCESS Interface to Teradata, and at least one of the following products:

- SAS/ETS
- SAS/STAT
- SAS Enterprise Miner

In-Database DBMS Products Required

All SAS Analytics Accelerator 2.1 for Teradata in-database functions require Teradata 13.00.00.15 or higher.

SAS Analytics Accelerator for Teradata requires Teradata Tools and Utilities (TTU) 13 with patch 1.9 or later.

SAS High-Performance Forecasting 12.1

Base SAS is required for the installation of SAS High-Performance Forecasting software.

SAS Scoring Accelerator for DB2

The SAS Scoring Accelerator for DB2 requires Base SAS, SAS/STAT, SAS/ACCESS Interface to DB2 and SAS Enterprise Miner.

In-Database DBMS Products Required (Function-based Architecture)

- IBM DB2 9.5 FixPack 3: AIX 5.3 or IBM DB2 9.5 FixPack 3: Linux for x64: RHEL 4
- Client utilities for IBM DB2 9.5

The DB2 server where the scores will be published requires a current version of the IBM XLC compiler. Please contact your IBM/DB2 representative to secure the appropriate compiler for your DB2 installation.

In-Database DBMS Products Required (SAS Embedded Process-based Architecture)

- IBM DB2 9.7 FixPack 5 or higher
- Client utilities for IBM DB2 9.7 or higher

The following are the operating system version requirements for the database:

AIX:

- AIX 5.3 + TL09
- AIX 6.1 + TL02 or higher
- AIX 7.1 GA + SP3

Linux:

- SLES 10 + SP2
- SLES 11

SAS Scoring Accelerator for Greenplum Software

The SAS Scoring Accelerator for Greenplum requires Base SAS, SAS/STAT, SAS/ACCESS Interface to Greenplum, and SAS Enterprise Miner.

The following are the minimum Greenplum database requirements:

- GPDB 4.2.2.0
- GPPC 1.1.0.0

The following are the minimum Linux operating system version requirements for the database:

- Red Hat Enterprise Linux 64-bit 5.5, 5.6, 5.7, 6.1, and 6.2
- SUSE Linux Enterprise Server 64-bit 10 SP4, and 11 SP1

SAS Scoring Accelerator for Netezza

The SAS Scoring Accelerator for Netezza requires Base SAS, SAS/STAT, and SAS/ACCESS Interface to Netezza. It also requires SAS Enterprise Miner.

In-Database DBMS Products Required:

- Netezza Performance Data Server 5.0
- Client utilities for Netezza 5.0

SAS Scoring Accelerator for Oracle Software

The SAS Scoring Accelerator for Oracle requires Base SAS, SAS/STAT, SAS/ACCESS Interface to Oracle, and SAS Enterprise Miner.

In-Database DBMS Products Required (SAS Embedded Process-based architecture)

- The minimum required Oracle Server version is 11gr2.
- The minimum required Oracle Client release is Oracle, Release 10g.

The following are the minimum Linux operating system version requirements for the database:

- RHEL 5.5
- OEL 5.5

In addition, the server must have patches for the following Oracle bugs installed:

- Bug 11678127 - OCIDESCRIBEANY RETURNS ORA:24323 FOR AN OBJECT TYPE USE CASE
- Bug 12536287 - ODCITABLECLOSE NOT INVOKED FOR PARALLEL ENABLED TABLE FUNCTIONS –
- Bug 13533487 - ODCITABLECLOSE NOT INVOKED WHEN CTRL-C IS INVOKED BY QC IN TABLE FUNCTIONS
- Bug 12974145 - UNSET LENGTH OFFSET FIELD IN PEFMARG CAUSES CRASH IN SPEFM_FIXUP_LIST
- Bug 11772740 - CALLING OCIRESET() TO ABORT A PIECEWISE CYCLE SEVERS THE ORACLE CON

When this document was published, patches for the following Oracle bugs were not available:

- Bug 12658656 - DUPLICATE SYMBOLS in EXTPROC/AGENT
- Bug 12904682 - CORE DUMP IN MUTEX ACQUIRE WHEN DIAG INITIALIZATION FAILS
- Bug 12904657 - ADR INITIALIZATION FAILS IN SOME EXTPROC THREADS

Until patches can be applied for *all* three of these bugs, the following line *must* be added to \$ORACLE_HOME/network/admin/sqlnet.ora. No restart is required.

```
DIAG_ADR_ENABLED=OFF
```

SAS Scoring Accelerator for Teradata

The SAS Scoring Accelerator for Teradata requires Base SAS, SAS/STAT, SAS/ACCESS Interface to Teradata, and SAS Enterprise Miner. To publish the model to the database, it also requires a SAS code interface or SAS Model Manager.

In-Database DBMS Products Required (Function-based architecture)

- Teradata 12.0 or higher
- Client utilities for Teradata (12 or higher)

In-Database DBMS Products Required (SAS Embedded Process-based architecture)

- Teradata 13.10.02.01 or higher
- Client utilities for Teradata (13 or higher)

SAS/ACCESS Interface to Aster

Base SAS is required for the installation of SAS/ACCESS Interface to Aster nCluster software.

Product Included: SAS/ACCESS Interface to Aster nCluster software

SAS/ACCESS Interface to Aster nCluster requires version 4.5.1 or later of the Aster nCluster ODBC driver and a bulk loader client, `ncluster_loader.exe`. To obtain the ODBC driver and bulk loader client, contact Aster Data Technical Support.

Please refer to the *Configuration Guide for SAS® 9.3 Foundation for Microsoft® Windows®* for details about where to install the ODBC driver and bulk loader client and how to configure your SAS software in order to work with them.

SAS/ACCESS Interface to DB2

Base SAS is required for the installation of SAS/ACCESS Interface to DB2 software.

Products Included:

- SAS/ACCESS Interface to DB2 software
- SAS Accelerator Publishing Agent software

DBMS Product Required: DB2 Universal Database, Version 8.1 FixPak 18 or higher (32-bit libraries)

SAS/ACCESS Interface to DB2 can be installed on a DB2 server or on a DB2 client node with an installation of the DB2 Run-Time Client, DB2 Application Development Client, or DB2 Administration Client. In addition, DB2 Connect must be installed to connect to DB2 databases that reside on AS/400, VSE, VM, MVS, and z/OS systems.

SAS/ACCESS Interface to Greenplum

Base SAS is required for the installation of SAS/ACCESS Interface to Greenplum software.

SAS/ACCESS Interface to Greenplum requires the DataDirect Driver Manager and Driver for Greenplum. You must install these components before using SAS/ACCESS Interface to Greenplum. Contact SAS Technical Support for details about how to obtain these components.

SAS/ACCESS Interface to Hadoop

Base SAS is required for the installation of SAS/ACCESS Interface to Hadoop software.

Hadoop Components Required:

- Hadoop 0.20.2 or later (for Cloudera, CDH3u2 or later)
- Hive Server 0.7.1 or later, including fix HIVE-2315
- **Hive JDBC 0.7.1 or later, including fixes HIVE-1815 and HIVE-2315**

Hadoop Component Recommended: JDBC fix HIVE-2137

Hive Fix Notes

1. Cloudera CDH3u2 and later versions already contain the required fixes HIVE-1815 and HIVE-2315.
2. HIVE-2315 is both a server and client-side fix. It should be present on your Hadoop server and on your SAS machines.
3. HIVE-1815 and HIVE-2137 are client (SAS-side) fixes. They are not required to be on your Hadoop server.

SAS/ACCESS Interface to HP Neoview

Products Required:

- Base SAS software
- SAS/ACCESS Interface to HP Neoview software
- Neoview ODBC driver, release 2.2 or later

SAS/ACCESS Interface to HP Neoview requires an ODBC driver from HP. To get the driver, go to <http://software.hp.com> and click “HP Neoview Platform” under “Our top featured products.”

SAS/ACCESS Interface to MySQL

Base SAS software is required for the installation of SAS/ACCESS Interface to MySQL software.

DBMS Products Required:

- Any version of MySQL Client 5.1 or 5.5
- MySQL Server 5.0 or later

For more information about SAS/ACCESS Interface to MySQL software, please see the MySQL chapter in *SAS/ACCESS Software for Relational Databases: Reference*.

SAS/ACCESS Interface to Netezza

Base SAS is required for the installation of SAS/ACCESS Interface to Netezza software.

Products Included:

- SAS/ACCESS Interface to Netezza software
- SAS Accelerator Publishing Agent software

SAS/ACCESS Interface to Netezza requires an ODBC driver from Netezza. To get the Netezza ODBC driver, release 3.1.4 or above, please contact Netezza technical support at (877) 810-4441 or visit the Netezza customer support Web site, <http://www.netezza.com/support/login.cfm>.

SAS/ACCESS Interface to ODBC

Base SAS is required for the installation of SAS/ACCESS Interface to ODBC software.

DBMS Products Required:

- A 32-bit ODBC driver for the data source from which you want to access data
- Microsoft Data Access Components (MDAC), Version 2.7 or higher

Before you can use SAS/ACCESS Interface to ODBC software, a 32-bit ODBC driver for the data source from which you want to access data is required. ODBC drivers are often available from DBMS vendors and other third party ODBC driver developers. The ODBC driver you choose may require additional DBMS software for network access. All required network software supplied by your database system vendor must be 32-bit-compliant.

Note: SAS 9.3 Foundation will automatically install Microsoft Data Access Components (MDAC) when you install SAS/ACCESS Interface to ODBC software.

Please see the *Configuration Guide for SAS 9.3 Foundation for Microsoft Windows* for the details of installation.

SAS/ACCESS Interface to OLE DB

Base SAS is required for the installation of SAS/ACCESS Interface to OLE DB software.

DBMS Product Required: An ODBC driver for the data source from which you want to access data.

Before you can use SAS/ACCESS Interface to OLE DB software, an OLE DB provider for the data source from which you want to access data is required. OLE DB providers are often available from DBMS vendors and other third party software vendors. The OLE DB provider you choose may require additional DBMS software for network access. All required network software supplied by your database system vendor must be 32-bit-compliant.

Note: SAS 9.3 Foundation will automatically install Microsoft Data Access Components (MDAC) when you install SAS/ACCESS Interface to OLE DB software.

SAS/ACCESS Interface to Oracle

Base SAS is required for the installation of SAS/ACCESS Interface to Oracle software.

DBMS Products Required:

The user may install an Oracle client on the same box as SAS/ACCESS Interface to Oracle, or an Oracle server may be used in place of the Oracle client.

The minimum required Oracle client libraries release is Oracle, Release 10g.

Note: In order to use the Bulk Load feature of this SAS product, you must have Oracle's SQL*Loader data-loading utility installed. This utility can be obtained by running the Oracle installer and selecting the Oracle Utilities product. Please refer to your Oracle documentation for information on SQL*Loader.

SAS/ACCESS Interface to PC Files

SAS/ACCESS Interface to PC Files software supports access to many different file formats files on Windows, including Microsoft Access database files (.mdb or .accdb), Microsoft Excel workbook files (.xls, .xlsb, .xlsm or .xlsx) or any ODBC supported data source.

Base SAS is required for the installation of SAS/ACCESS Interface to PC Files software.

DBMS Products Required: Microsoft Access Database Engine 2010 Redistributable (ACE driver)

SAS 9.3 will automatically install the Access Database Engine 2010 Redistributable (ACE driver) when you install SAS/ACCESS Interface to PC Files software *if* no previous ACE driver is installed; otherwise the existing ACE installation is left as is.

If the "bitness" (32- or 64-bit) of SAS matches the resulting ACE driver, SAS/ACCESS Interface to PC Files can access Windows files directly. If the "bitness" does not match, SAS PC Files Server must be used to bridge the "bitness gap." In the typical scenario, a user may have 64-bit SAS and a 32-bit ACE driver, requiring 32-bit SAS PC Files Server.

SAS/ACCESS Interface to Sybase

Base SAS is required for the installation of SAS/ACCESS Interface to Sybase software.

DBMS Product Required: Sybase Open Client SDK (Software Developers Kit) Software, Release 12.5.2 or later

Note: Sybase IQ is not supported; SAS/ACCESS Interface to Sybase IQ software must be used instead.

For more information about SAS/ACCESS Interface to Sybase software, refer to *SAS/ACCESS Software for Relational Databases: Reference*.

Note: If you want to access Microsoft SQL Server data, you will need to use SAS/ACCESS Interface to Microsoft SQL Server software.

SAS/ACCESS Interface to Sybase IQ

Base SAS is required for the installation of SAS/ACCESS Interface to Sybase IQ software.

SAS/ACCESS Interface to Sybase IQ requires an ODBC driver from Sybase. The Sybase IQ ODBC driver is included in the Sybase IQ Network Client. To obtain the Sybase IQ Network Client, release 15.1 ESD#3 and above, please contact your database administrator or Sybase technical support at 1-800-8-SYBASE.

SAS/ACCESS Interface to Teradata

Base SAS is required for the installation of SAS/ACCESS Interface to Teradata software.

DBMS Products Required:

- Teradata Database 12 or higher (Teradata Database 13.10 or higher if Temporal features are needed)
- Teradata CLIV2 client libraries, TTU 12 or later for Windows (TTU 13.10 or higher if Temporal features are needed)

The following software is recommended:

- Teradata FastExport utility, TTU 12 or later for Windows
- Teradata MultiLoad utility, TTU 12 or later for Windows
- Teradata Parallel Transporter API, TTU 12 or later for Windows

For more information about SAS/ACCESS Interface to Teradata software, please see the Teradata chapter in *SAS/ACCESS Software for Relational Databases: Reference*.

SAS/AF

Products Required for Build Mode:

- Base SAS software
- SAS/AF software
- SAS/GRAPH software (to create and display some graphics objects)

Other products may be required depending on the application.

Products Required for Run Mode:

- Base SAS software
- SAS/GRAPH software (to display some graphics objects)

Other products may be required depending on the application.

Printers:

- A color or gray scale printer is required for printing graphics-based objects.
- Depending on the object, certain non-graphic objects may require SAS/GRAPH software to print.

SAS/CONNECT

Base SAS is required for the installation of SAS/CONNECT software.

SAS/CONNECT software uses the TCP/IP access method and supports Microsoft's TCP/IP System Driver, which is provided with Windows.

Note: The APPC access method is no longer supported for Windows.

SAS/EIS

Products Required for Build Mode:

- Base SAS software
- SAS/AF software
- SAS/EIS software
- SAS/FSP software
- SAS/GRAPH software

Other products may be required depending on the application.

Products Required for Run Mode:

- Base SAS software
- SAS/GRAPH software
- SAS/EIS software

Other products may be required depending on the application.

Memory: 128 MB required

Printers

For printing graphics-based objects, a color or gray scale printer is required.

SAS/Genetics 12.1

Base SAS and SAS/GRAPH are required for the installation of SAS/Genetics software.

SAS/GIS

Products Required for Build Mode:

- Base SAS software
- SAS/AF software
- SAS/GIS software
- SAS/GRAPH software

Other products may be required depending on the application.

Products Required for Run Mode:

- Base SAS software
- SAS/FSP software
- SAS/GIS software
- SAS/GRAPH software

Other products may be required depending on the application.

Printers:

A color or gray scale printer is required. The list of possible printers can be found in the “Graphics Hardware and Software Compatibility” section on page 28.

SAS/GRAPH

To run the SAS/GRAPH ActiveX Graph Control from a Web browser, you need Internet Explorer, Version 6.0 SP2 or greater.

To run the SAS/GRAPH Java Applets from a Web browser, you need either Internet Explorer, Version 6.0 SP2 or greater, or Firefox 3.0.6 or greater.

The SAS 9 SAS/GRAPH ActiveX Graph Control will be installed in the `<sashome install directory>\Shared Files\Graph\V9` directory.

To view SVG output, you need a browser capable of displaying SVG content, such as Mozilla 1.8+ based browsers such as Firefox 1.5+, a plug-in such as Adobe’s SVG plug-in or an application such as Batik’s SVG viewer.

Users need Adobe Reader to view PDF output.

SAS/IntrNet

SAS/IntrNet software consists of several components that may be installed independently. SAS/IntrNet Server software is installed on an existing SAS System and is included on SAS 9.3 media.

CGI Tools and Applications

Application Dispatcher

Requires Base SAS software and SAS/IntrNet Server software. The Application Broker component of the Application Dispatcher must be installed on a Web server.

htmSQL

Requires Base SAS software, SAS/SHARE software, and a SAS/IntrNet software license (SETINIT). The htmSQL component must be installed on a Web server.

MDDB Report Viewer Application

Requires Base SAS software; SAS/GRAPH software; SAS/IntrNet software; and SAS/EIS software or SAS OLAP Server software. The Application Dispatcher component must be installed and configured.

Xplore Sample Web Application

Requires Base SAS software and SAS/IntrNet Server software. The Application Dispatcher component must be installed and configured.

Design-Time Controls

Requires Base SAS software and SAS/IntrNet Server software. The Application Broker component of the Application Dispatcher must be installed on a Web server.

Java Tools and Applications

SAS/CONNECT Driver for Java

Requires Base SAS software, SAS/CONNECT software, and SAS/IntrNet Server software. SAS/SHARE software must also be installed if data services are used. The Java Tools package must be installed on a Web server or a client system.

Tunnel Feature

Must be installed on a Web server running on a UNIX or Windows system.

SAS/LAB

The following products are required for the installation of SAS/LAB software:

- Base SAS
- SAS/FSP (for interactive data entry)
- SAS/GRAPH

SAS/OR 12.1

The use of graphics in SAS/OR software requires a SAS/GRAPH license. A SAS High-Performance Analytics license is required to invoke the OPTLP, OPTMILP, OPTQP, and OPTMODEL procedures in distributed computing mode.

SAS/TOOLKIT

Products Required:

- Base SAS software
- A compiler

The only language with a Production status for SAS/TOOLKIT software is C. Other languages have a Beta status.

SAS/Warehouse Administrator

Products Required for Build Mode:

- Base SAS software
- SAS/AF software (required only for API usage)

Products Required for Run Mode:

- Base SAS software
- Other products depending on application (e.g., SAS/ACCESS software for access to DBMS tables, SAS/CONNECT software for access to remote data, or SAS/AF software to access warehouse via method calls)

Printers:

- For printing graphics-based objects, a color or gray scale printer is required.
- Certain non-graphic objects may require SAS/GRAPH software to print depending on the object.

Graphics Hardware and Software Compatibility

Printers

SAS/GRAPH software supports PostScript, HP-GL, HP-GL/2, PCL, and other printer languages on printers from manufacturers such as Brother, Canon, Hewlett-Packard, IBM, Konica Minolta, Lanier, Lexmark, Okidata, QMS, Ricoh, Sharp, Xante, and Xerox.

SAS/GRAPH software supports any printer that you are using with Microsoft Windows via the WINPRTM (for monochrome printers), WINPRTG (for printers that support gray-scale shading), and WINPRTC (for color printers) device drivers.

Here is a partial list of printers that SAS/GRAPH software supports with native device drivers:

- CalComp ColorMaster, ColorMaster Plus, PlotMaster
- Canon Bubble Jet, Laser Shot
- Digital printers which support either SIXEL, HP PCL, Tektronix, or PostScript emulation modes
- Epson FX and LQ series printers (and all printers running in Epson emulation mode)
- Hewlett-Packard LaserJet, DeskJet, PaintJet, and DesignJet printers (and compatibles)
- IBM Graphics, Proprinter, and ColorJet printers
- PostScript printers (including color and gray-scale PostScript printers)
- QMS Colorgrafix with CGM interpreter
- QMS 800, 1200, 1500, 2200, and 2400 using QUIC or Tektronix emulation modes
- Talaris 800, 802, 1200, 1500, and 2400 using QUIC or Tektronix emulation modes
- Talaris printers using the EXCL language
- Tektronix Phaser printers (all models)
- Tektronix 4693 printers with Tektronix 4510 rasterizer
- Xerox 2700 and 4045 printers with a GRAPHX cartridge
- Xerox 3700 (with imaging board and at least 1M of memory)
- Xerox 4030 (contact Technical Support), 4213, 4235, and 4700
- Xerox 4700 printer
- Xerox 5775 color copier with an EFI Fiery attachment

Native drivers may also be available for additional printers not listed above and that do not support PostScript, HP-GL, or HP PCL. Contact SAS Technical Support for additional information on these drivers.

Images and Interfaces to Other Software

Included with SAS/GRAPH software are drivers that can produce Computer Graphics Metafiles (CGM) in binary, character, and clear-text formatted output that can then be imported into devices or software which supports CGM input, such as Word for Windows, WordPerfect for Windows, Harvard Graphics, and Lotus Freelance.

SAS/GRAPH software can generate encapsulated PostScript vector files, which can be exported to word processing packages such as Microsoft Word and WordPerfect.

SAS/GRAPH software can also generate Windows metafiles that can be exported to numerous packages including Microsoft Office, Lotus Smart Suite, and Perfect Office. Please contact SAS Technical Support for details.

SAS/GRAPH software's HPGL or HPGL2 driver can be used to produce files which can be transferred to most vector-based drawing programs such as CorelDraw and Micrografx Designer.

SAS/GRAPH software also has drivers for PDF and SVG along with image file formats of BMP, DIB, EMF, EPSI, PBM, PPM, GIF, JPEG, EMF, WMF, PNG, TIFF, and PaintBrush image formats.

In addition, SAS/GRAPH software can import graphics in the following formats:

- BMP - Microsoft Windows Bitmap
- DIB - Device Independent Bitmap
- EMF - Microsoft NT Enhanced Metafile
- EPSI - Encapsulated PostScript Interchange
- GIF - Graphics Interchange Format
- JPG - JPEG Files
- PBM - Portable Bitmap
- PCD - PHOTO CD
- PCX - PC PaintBrush
- PNG - Portable Network Graphics
- TGA - TARGA Format
- TIF - Tagged Image File Format
- WMF - Microsoft Windows Metafile Format
- XBM - X Window Bitmaps
- XWD - X Window Dump

Viewing HTML Pages Created with the ActiveX and Java Device Drivers

The ActiveX and Java device drivers allow you to create HTML pages from within SAS 9.3 Foundation.

Refer to the "SAS/GRAPH Software" section on page 25 for a list of browsers with which you can view HTML pages on this operating environment.

To view the Java applets, the Java plug-in must be installed on each client machine. On Windows systems, the user can install the plug-in when prompted if it is not already installed.



THE
POWER
TO KNOW.

SAS is the leader in business analytics software and services, and the largest independent vendor in the business intelligence market. Through innovative solutions delivered within an integrated framework, SAS helps customers at more than 50,000 sites improve performance and deliver value by making better decisions faster. Since 1976, SAS has been giving customers around the world THE POWER TO KNOW®.